



### CONCRETE PILE DETAILS

PILE TYPE	"D"	MAXIMUM TENSILE TEST FORCE PER PILE
CLASS 90 AND 140 Alt "V", "Y"	7"	210 kips
CLASS 90 AND 140 Alt "X"	6"	210 kips
CLASS 200 Alt "X", "Y"	6 3/4"	300 kips
CIDH	8"	300 kips

#### NOTES:

- For details not shown, see applicable pile details shown on the Project Plans.
- For the additional top 4'-0" of pile for testing, the spiral reinforcement shall be the same size and placed at the same pitch as detailed for the top of piles shown in the Project Plans.
- Details applicable for load test and anchor piles.

### LOAD TEST PILE DETAILS (2)

NO SCALE

B2-10

DIS#	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS

REGISTERED CIVIL ENGINEER  
Amir M. Malek  
No. C62397  
May 31, 2018  
PLANS APPROVAL DATE  
EXP. 9-30-19  
CIVIL  
STATE OF CALIFORNIA

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.